Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	10/722,345	KURIMOTO, NAOYA		
	Examiner	Art Unit		
	Hien D. Vu	2833		
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in or other appropriate commits in the commits of the commits	n this application. If not included unication will be mailed in due course. THIS	; tive	
1. This communication is responsive to the communication of	<u>n 6/3/04</u> .			
2. X The allowed claim(s) is/are 9-12,15,16,19 and 20.				
3. \boxtimes The drawings filed on <u>26 November 2003</u> are accepted by	the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" 	e been received. e been received in Application cuments have been receive	on No. <u>09/455,804</u> . d in this national stage application from the		
noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IENT of this application.			
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 				
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet in the sheet in the sheet is should be sheet.	on's Patent Drawing Revie s Amendment / Comment o 84(c)) should be written on t	r in the Office action of he drawings in the front (not the back) of		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 				
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 11/26/03 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview S Paper No. 7. Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), 'Mail Date <u>6/04/04</u> . Amendment/Comment Statement of Reasons for Allowance		
		HIEN VU PRIMARY EXAMINER		

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Application/Control Number: 10/722,345

Art Unit: 2833

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Brian Hanlon on 6/03/04.

The application has been amended as follows:

Claims 2-4 and 17-18 have been canceled.

In the Preliminary Amendment, filed 2/26/04, page 2, line 6, "pending" has been changed to – now patent number 6,655,998 --.

Claim 15, line 2, -- including a locking member thereon – has been inserted after "wall"; line 5, "receive" has been changed to – engage --; last line "." Has been changed to --, -- and new lines have been inserted as follows:

-- wherein said end includes a face having openings, and said protruding portion is accessible through said openings,

wherein a position of said retainer is visually determinable through said openings during movement between said first and second positions. --.

Claim 19, line 2, "having" has been changed to – comprising a wall including a locking member thereon and having --; line 5, "an opening, said face being adapted to receive" have been changed to – openings, said end being adapted to engage --; line 18, "opening" has been changed to – openings --.

Application/Control Number: 10/722,345 Page 3

Art Unit: 2833

The following is an examiner's statement of reasons for allowance:

Claims 9-12, 15-16 and 19-20 are allowable over the prior art of record for at least the reason that the prior art fails to teach or suggest the retainer being wholly and transversely received in the retaining cavity of the housing in the first and second positions in the retaining cavity and a protrusion of the retainer accessible from an exterior of the housing through openings in the face of the retainer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hien D. Vu whose telephone number is 703-308-2009. The examiner can normally be reached on 9-5.

HV 6/4/04

> HIEN VU PRIMARY EXAMINER